



Jakarta , 31 Mei 2024

No. 680/PIS2240/2024-S6

Lampiran : 2 (dua)
Perihal : **Invitation to Bid Spot Charter 1 (Satu) Unit Kapal Bulk Lighter (BL) WO Region V Jatimbalinus Laycan 03 - 04 Juni 2024**

Yang terhormat
SHIP OWNER / SHIP BROKER
Di Tempat

Dengan hormat,

Sehubungan dengan diperlukannya 1 (Satu) Unit Bulk Lighter (BL) - WO yang akan disewa secara Spot Charter, PT Pertamina International Shipping bermaksud untuk melakukan pengadaan tersebut dengan *terms and conditions* sebagai berikut:

GENERAL TERMS & CONDITION

1.	Vessel Needed	:	1 (Satu) Unit
2.	Type of Cargo	:	Oil Product / White Oil (Pertamax Turbo / Pertamax / Peralite/ Solar/ Pertadex / Dexlite / Kerosene / Biosolar / Fame)
3.	Cargo Tank Capacity (98%)	:	Min. 2,000 CuM exc. Slop Tank (Charterer's option up to full vessel capacity but always subject to permissible/safe restrictions of both ends)
4.	Voyage	:	2 (Two) Consecutive Voyage
5.	Grade of Cargo	:	Min. 2 (Two) grades
6.	Trayek	:	Trayek dengan 5 Port Kupang - Atapupu - Kalabahi - Waingapu - Atapupu Kupang - Kalabahi - Atapupu - Waingapu - Kalabahi Kupang - Atapupu - Waingapu - Kalabahi - Atapupu Kupang - Kalabahi - Waingapu - Atapupu - Kalabahi Kupang - Kalabahi - Atapupu - Waingapu - Atapupu Kupang - Atapupu - Kalabahi - Waingapu - Kalabahi Trayek dengan 4 Port Kupang - Atapupu - Kalabahi - Waingapu
8.	Laycan	:	1st Laycan 03 - 04 Juni 2024 2nd TBC after first voyage
9.	Charter Hire	:	In Rp Lumpsum per voyage (Including withholding tax, port cost, tank cleaning and any other cost related to Owner's Responsibility but excluding VAT)



PT Pertamina International Shipping
Patra Jasa Office Tower Lantai 3 & 14
Jl. Jend. Gatot Subroto Kav 32-34, Kuningan Timur,

Telephone
T +62 21 52900271/522900272
www.pertamina-pis.com



NO	DESCRIPTION	BL – WO
1	Type Vessel	Motor Tanker
2	YOB / Flag	1994 Up / INDONESIA
3	Cargo Tanks Capacity 98%	Min. 2,000 CuM exc. Slop Tank
4	Draft	Max. 7 Meter
5	LOA	Min. 60 Meter Max. 120 Meter
6	Service Speed	Min. 9 Knots
7	Type of Cargo	Oil Product / White Oil (Pertamax Turbo / Pertamax / Pertalite / Solar / Pertadex / Dexlite / Kerosene / Biosolar / Fame)
8	Cargo Segregation	Min. 2 (two) grades
9	Cargo Tank Coating	Not Required
10	Cargo Heating	Not Required
11	Cargo Pump	Min. 2 (two) pumps
12	Total Discharge Rate Or Pressure	Required 50 CuM/Hr/grade or 3 Kg/cm ²
13	Loading Rate	Min. 200 CuM/H
14	Derrick / Crane	Not Required
15	Segregated Ballast Tank	Required