



Jakarta , 15 Juli 2024

No. 093/PIS2110/2024-S6

Lampiran : 1 (satu) berkas
Perihal : **Invitation To Bid Pengadaan Spot Charter 1 (satu) Unit Satgas - BO Trayek STS Balikpapan - IT Manggis Laycan 24 - 25 Juli 2024**

Yang terhormat
Ship Owners
Di Tempat

Dengan hormat,

Sehubungan dengan diperlukannya 1 (satu) Unit Satgas - BO, yang akan disewa secara Spot Charter, PT Pertamina International Shipping bermaksud untuk melakukan pengadaan tersebut dengan *terms and conditions* sebagai berikut:

GENERAL TERMS & CONDITIONS

1.	Vessel Needed	:	1 (one) Unit
2.	Type of Cargo	:	Black Oil (High Sulfur Fuel Oil/Low Sulfur Fuel Oil)
3.	Cargo Tank Capacity (98%)	:	Min. 3000 CuM exc. Slop Tank Option up to full vessel capacity but always subject to permissible/safe restrictions of both ends)
4.	Voyage	:	1 (one) Voyage
5.	Grade of Cargo	:	Min. 2 (two) Grade
6.	Trayek	:	STG Balikpapan - Manggis
8.	Laycan	:	STS Balikpapan, 24-25 Juli 2024
9.	Charter Hire	:	In Rp Lumpsum per voyage (Including withholding tax, port cost, tank cleaning and any other cost related to U.S. Responsibility but excluding VAT)
10.	Payment	:	14 (Fourteen) days upon completion of discharge & completed invoicing document received
11.	Charter Party	:	Asbatankvoy
12.	Transport Loss	:	Max. 0.07 % (Unavoidable loss only)
13.	Seaworthiness	:	Kapal harus “Ready in all respect” untuk melaksanakan pengangkutan dan sertifikat laik laut harus dalam kondisi valid pada saat memasukkan penawaran dan pada saat pelayaran.



PT Pertamina International Shipping
Patra Jasa Office Tower Lantai 3 & 14
Jl. Jend. Gatot Subroto Kav 32-34, Kuningan Timur,

Telephone
T +62 21 52900271/522900272
www.pertamina-pis.com



No. 093/PIS2110/2024-S6

Šæ {]ãæ}Á.ÁF

SPEKIFIKASI TEKNIS KAPAL

NO	DESCRIPTION	Satgas- BO
1	Type Vessel	Oil Barge
2	YOB / Flag	1994 Up / INDONESIA
3	Cargo Tanks Capacity 98%	Min. 3,000 CuM exc. Slop Tank
4	Draft	Max. 10 Meter
5	LOA	Max. 120 Meter
6	Service Speed	Min. 4 knot
7	Type of Cargo	Black Oil (High Sulfur Fuel Oil/Low Sulfur Fuel Oil)
8	Cargo Segregation	Min. 2 (two) grade
9	Cargo Tank Coating	Not Required
10	Cargo Heating	Min. 140 Deg. F / 60 Deg. Celcius
11	Cargo Pump	Min. 2 (two) pumps
12	Total Discharge Rate Or Pressure	Min. 250 CuM/Hr/grade or 3 Kg/cm2
13	Loading Rate	Min. 350 CuM/H
14	Derrick / Crane	Not Required
15	Segregated Ballast Tank	Required
16	Trading Area	Indonesia Water
17	CCTV	Not Required
18	Alat Ukur & Tanks Table	Lengkap, Akurat, Absah
19	Information System	Internet On Board (Online 24 jam)
20	Unavoidable Transportation Loss	Max 0.07%
21	Charter Periode	1 (satu) Voyage
22	Lay Can	G I Á . Á G Í Á R ~]ãæ€€ I
23	Pertamina Safety Approval (PSA)	Not Required
24	Trayek	ÙVÙÁÓæ]ãæ}Á.ÁQVÁTæ} **ã•