



Jakarta ,

PT Pertamina International Shipping
Patra Jasa Office Tower 14th Floor
Jl. Gatot Subroto Kav. 32-34
Telephone
Ph: +6221 52900271/52900272
Fax: +6221 52906273



No. 239/PIS3220/2024-S7

LAMPIRAN
SPESIFIKASI TEKNIS KAPAL

NO	DESKRIPSI	Small I - Asphalt
1	Type of Vessel	Motor Tanker (MT)
2	DWT (about)	Max. 8000 DWT
3	Year Of Build (YOB)	1994 up
4	Flag	Indonesia
5	Draught (max)	Max. 5,9 meter
6	LOA (max)	Max. 108 meter
7	Service Speed (min)	Min. 10 knots
8	Loading Rate (min)	Min. 250 m3/h
9	Discharge Rate (min) or Pressure	Min. 200 m3/h/grade or 3 Kg /cm2
10	Type Of Cargo	Asphalt
11	Cargo Tank Capacity 98% (min.)	Min. 3000 m3 exc slop tank
12	Grade Of Cargo	1 (one) grade
13	Cargo Heating	130° C (min.)
14	Cargo Oil Tank Coating	Not required
15	Cargo Pump (min)	2 (two) pumps (min.)
16	Derrick / Crane (min)	Not required
17	Segregated Balast Tank	Required
18	Alat Ukur Tank Table	Complete, accurate, and verified
19	Transport Discrepancy % (Max)	Max. 0,07 PCT
20	Trading Area	Indonesian water
21	Unit	1 (one) unit
22	Number of Voyage	1 (one) voyage
23	Lay Can	20-21 Juni 2024
24	Delivery Port	Cilacap
25	Discharge Port	Dumai
26	PSA	Not required
27	Information System	Internet on board (24 Hours)
28	Terminal Approval	Vessel must be accepted by loading & discharge port terminal

