



Jakarta , 31 Oktober 2023

No. 4649/PIS6210/2023-S7

Lampiran : -
Perihal : **Invitation to Bid Spot Charter 1 (satu) Unit BL - Solvent
2023**

Yang terhormat
Ship Owners/
Ship Brokers

Dengan hormat,

Sehubungan dengan diperlukannya 1 (satu) Unit BL Solvent yang akan disewa secara spot charter, PT Pertamina International Shipping bermaksud untuk melakukan pengadaan tersebut dengan *terms and conditions* sebagai berikut:

GENERAL TERMS & CONDITIONS

1.	Vessel Needed	:	1 (one) Unit
2.	Type of Cargo	:	Solvent (SBPX/LAWS-5)
3.	Cargo Tank Capacity (98%)	:	Min. 1,000 m3 exclude slop tank. to permissible/safe restrictions of both ends)
4.	Voyage	:	1 (One) Voyage
5.	Loading Port	:	RU Plaju
6.	Discharging Port	:	Tanjung Priok
7.	Laycan	:	02-03 November 2023
8.	Charter Hire	:	In Rp Lumpsum per Voyage (Including withholding tax, port cost, tank cleaning and any other cost related to Responsibility but excluding VAT)
9.	Payment	:	14 (Fourteen) days upon completion of discharge & completed invoicing document received
11.	Charter Party	:	Asbatankvoy
12.	Transport Loss	:	Max. 0.07 % (Unavoidable loss only)
13.	Seaworthiness	:	Kapal harus in all untuk melaksanakan pengangkutan dan sertifikat laik laut harus dalam kondisi valid pada saat memasukkan penawaran dan pada saat pelayaran.

OTHER TERMS



PT Pertamina International Shipping
Patra Jasa Office Tower Lantai 3 & 14
Jl. Jend. Gatot Subroto Kav 32-34, Kuningan Timur,

Telephone
T +62 21 52900271/522900272
www.pertamina-pis.com

No. 4649/PIS6210/2023-S7

2. Q88 versi terbaru.
3. Class Certificate (Hull & Machinery), International Tonnage Certificate, Seaworthiness Certificate & others certificate (SOLAS, Civil Liability, SMC, DOC, Surat laut, SNPP / IOPP, dan sertifikat laik laut lainnya harus dalam kondisi valid pada saat memasukkan penawaran
4. Power of Attorney (jika kapal

LAMPIRAN
SPESIFIKASI TEKNIS KAPAL

NO	DESCRIPTION	BL
1	Vessel Type	Motor Tanker
2	YOB	1993 up
3	Flag	Indonesia
4	Safe Draft	Max. 4,6 Meter
5	LOA	Max. 80 Meter
6	Service Speed	Min. 9 Knots
7	Loading Rate	Min. 200 m /h
8	Discharge Rate or pressure	Min. 150 m /h/grade or 3 Kg lcm
9	Type of Cargo	Solvent (SBPX/LAWS-5)
10	Cargo Tank Capacity 98 %	Min. 1000 m exclude slop tank
11	Cargo Segregation	Min. 1 (one) Grade
12	Cargo Heating	Not required
13	Cargo Tank Coating	Min. Epoxy fit to car Petrochemical
14	Cargo Pump	Min. 2 two unit
16	Derrick/Crane	Not Required
15	Segregated Ballast Tank	Required
16	Unavoidable Transport Loss	Max. 0.07%
17	Trading Area	Indonesian water
18	Unit	1 (one)
19	Lay Can	02 - 03 November 2023
20	Voyage	1 (Voyage)
21	Trayek	RU Plaiu - Taniung Priok
22	CCTV	Not required
23	Information System	Internet On Board (Online 24 Jam)
24	Pertamina Safety Approval (PSA)	Not required

